

**ROTUNDA HOSPITAL DEPARTMENT OF LABORATORY MEDICINE**

**Microbiology Test Repertoire Table LF-GEN-0071 Ed 02**

**This Active Test Table informs the user of Andrology Services at  
the Rotunda Microbiology Department**

**Active Date: 1<sup>st</sup> April 2016**

**Contact Phone number ext 9311**

No.	Sample	Test	Specimen	Sample	Special Precautions	Turnaround Time	INAB Accredited Test Reg No. 208MT
1.	Semen	Infertility Screen	Semen in sterile leak proof container. DO-NOT use a condom	N/A	Must reach lab within 1 hour of producing	Same day	✓
2.	Semen	Screen for Special Clearance	Semen in sterile leak proof container. DO-NOT use a condom	N/A	Must reach lab within 1 hour of producing	Same day	✓
3.	Semen	Post Vasectomy Screen	Semen in sterile leak proof container. DO-NOT use a condom	Sample <=3 days old. Correct packaging: <a href="https://www.azdhs.gov/documents/preparedness/state-laboratory/category-a-and-b-shipping-examples.pdf">https://www.azdhs.gov/documents/preparedness/state-laboratory/category-a-and-b-shipping-examples.pdf</a>	N/A	48-72 hrs	✓